typos in MATH 583A&B class notes

2019-01-13, 19:50



On the right is the cover of the class notes that I have. If you have some other version, and the page numbering seems to be different — please tell me.

Thanks to: Dwight Nwaigwe, Kenneth Plackowski, Kenneth Yamamoto.

cover

$\boxed{\text{MATH 583A}} \longrightarrow \boxed{\text{MATH 583A\&B}}$

page 96

Figure 11: $\boxed{z = \rho_2 \exp(\mathrm{i}\theta_2)} \longrightarrow \boxed{z = 1 + \rho_2 \exp(\mathrm{i}\theta_2)}$

page 98

Figure 12: the arrow on C_3 part of the contour is wrong

page 108

near the middle of the page: $\boxed{\text{mathemticians}} \longrightarrow \boxed{\text{mathematicians}}$

page 143

in 2 places: $\boxed{1 - \frac{1}{2^2} + \frac{1}{2^2} - \frac{1}{3^2} + \dots} \longrightarrow \boxed{1 - \frac{1}{2^2} + \frac{1}{3^2} - \frac{1}{4^2} + \dots}$

page 176

next formula after (4.56): $\boxed{\int_{-\infty}^{\infty} \delta(z)\varphi(z(x)) \frac{dz}{f'(z(x))}} \longrightarrow \boxed{\int_{-\infty}^{\infty} \delta(z)\varphi(x(z)) \frac{dz}{f'(x(z))}}$

page 183

near the middle of the page: $\boxed{\text{particarly}} \longrightarrow \boxed{\text{particularly}}$

page 235

near the top of the page: $\boxed{B_0 = \frac{2}{L}\int_0^L f(x)dx} \longrightarrow \boxed{B_0 = \frac{1}{L}\int_0^L f(x)dx}$

page 241

in 2 places: $\boxed{T : H \to \mathbb{R}}$ $\longrightarrow$ $\boxed{T : H \to \mathbb{C}}$ — no need to bound ourselves to reals, and in the beginning of the page 243 complex conjugates do appear.

page 246

near the top of the page: $\boxed{\Big| -v(x)u'(x) + v'(x)u(x)\Big|_0^1}$ $\longrightarrow$ $\boxed{\big(-v(x)u'(x) + v'(x)u(x)\big)\Big|_0^1}$

---

next row: $\boxed{+u'(1)v(1)}$ $\longrightarrow$ $\boxed{-u'(1)v(1)}$

---

after "with the associated domain is": $\boxed{v(0) = 0}$ $\longrightarrow$ $\boxed{v(1) = 0}$

page 250

near the middle of the page: $\boxed{s \to 0}$ $\longrightarrow$ $\boxed{\sigma \to 0}$

page 263

not a typo, but a simpler proof of **Theorem 7**: Assume λ is in the residual spectrum of L. Then (by Theorem 6) $\bar{\lambda}$ is an eigenvalue of $L^* = L$. Then (by the consequence of the proof of Theorem 5) λ is real, so $\lambda = \bar{\lambda}$ is an eigenvalue of L, *i.e.*, it is in the point spectrum of L.

---

proof of **Theorem 7**: $\boxed{y \in \mathcal{N}(L - \bar{\lambda})}$ $\longrightarrow$ $\boxed{y \in \mathcal{N}(L^* - \bar{\lambda})}$ — although $L^* = L$ here, anyway.

---

footnote [72]: $\boxed{k \neq 1}$ $\longrightarrow$ $\boxed{k > 0}$ — otherwise rank is never equal to 1, which is the rank of "not generalized" eigenvectors

page 264

beginning of **6.5.2**: $\boxed{\text{domain of } S}$ $\longrightarrow$ $\boxed{\text{range of } S}$

page 265

$\boxed{\sigma_p(S) = \{0\}}$ $\longrightarrow$ $\boxed{\sigma_p(S) = \emptyset}$ — $\{0\}$ usually means "a set with one element, namely 0".

page 267

near the bottom of the page: $\boxed{\text{centered on } \lambda = 1}$ $\longrightarrow$ $\boxed{\text{centered on } \lambda = 0}$

---

near the bottom of the page: $\boxed{\text{shows that } |\lambda| > 0}$ $\longrightarrow$ $\boxed{\text{shows that } |\lambda| > 1}$

page 277

(7.7): $\boxed{\int_0^x} \longrightarrow \boxed{\int_a^x}$

(7.9): $\boxed{(\xi - x)} \longrightarrow \boxed{(x - \xi)}$

page 278

end of 7.1: $\boxed{\text{Section 1.3}} \longrightarrow \boxed{\text{Section 7.3}}$

(7.18): $\boxed{f(t)dt} \longrightarrow \boxed{f(\tau)d\tau}$

page 281

near the top of the page: $\boxed{\text{Sturm Liouville}} \longrightarrow \boxed{\text{Sturm–Liouville}}$

page 283

near the middle of the page: $\boxed{\text{Sturm Liouville}} \longrightarrow \boxed{\text{Sturm–Liouville}}$

---

before (7.49): $\boxed{\text{Heaveside}} \longrightarrow \boxed{\text{Heaviside}}$

page 290

(7.85): $\boxed{pu'' + p'u + qu} \longrightarrow \boxed{pu'' + p'u' + qu}$

page 300

near the top of the page: $\boxed{Lu = f} \longrightarrow \boxed{Lu = g}$

page 302

the very bottom of the page: $\boxed{1\frac{1}{2}\xi^2 + c_1} \longrightarrow \boxed{-\frac{1}{2}\xi^2 + c_1}$

page 303

right after (7.165): $\boxed{\int_\xi^x K_> dx} \longrightarrow \boxed{\int_\xi^1 K_> dx}$

---

footnote [85]: $\boxed{K_2'|_{x=\xi}} \longrightarrow \boxed{K_<'|_{x=\xi}}$

page 309

between (7.189) and (7.190): $\boxed{\text{sides of (192)}} \longrightarrow \boxed{\text{sides of (189)}}$

page 321

after (8.21): $\boxed{(1-\lambda\alpha_{11}c_1)} \longrightarrow \boxed{(1-\lambda\alpha_{11})c_1}$

page 323

near the bottom of the page: $\boxed{\begin{pmatrix} \frac{1}{2} \\ \frac{1}{2} \end{pmatrix}} \longrightarrow \boxed{\begin{pmatrix} \frac{1}{2} \\ \frac{1}{3} \end{pmatrix}}$

page 328

(8.39): $\boxed{\lambda_m \int_a^b u_m(\xi)} \longrightarrow \boxed{\lambda_n \int_a^b u_m(\xi)}$

---

the very bottom of the page: $\boxed{\frac{\lambda m}{\lambda m} \int_a^b} \longrightarrow \boxed{\frac{\lambda_m}{\lambda_n} \int_a^b}$

page 335

after (8.62): $\boxed{\text{powers of } \lambda} \longrightarrow \boxed{\text{powers of } \mu}$

page 341

near the top of the page: $\boxed{\text{campact}} \longrightarrow \boxed{\text{compact}}$

---

upper half of the page: $\boxed{T = \lim_{n\to\infty} T_n}$ — we have $\|T_{n+1} - T_n\| = 1$, so there is no limit here.

page 347

(9.16): $\boxed{\frac{\partial L}{\partial q} +} \longrightarrow \boxed{\frac{\partial L}{\partial q}\delta q +}$

page 351

(9.42): $\boxed{y^2 x} \longrightarrow \boxed{y_x^2}$

page 354

near the top of the page: $\boxed{\left| \frac{\delta L}{\delta \dot{q}} \delta q \right|_{t_1}^{t_2}} \longrightarrow \boxed{\frac{\delta L}{\delta \dot{q}} \delta q \Big|_{t_1}^{t_2}}$

(9.54): $\boxed{\left| \frac{\delta f}{\delta y_x} \delta y \right|_{x_1}^{x_2}} \longrightarrow \boxed{\frac{\delta f}{\delta y_x} \delta y \Big|_{x_1}^{x_2}}$

page 358

$\boxed{f(k;a) = e^{ka} + e^{-ka}} \longrightarrow \boxed{f(k;a) = \left(e^{ka} + e^{-ka}\right)/2}$

page 360

(9.75) and (9.76): $\boxed{\frac{\delta F}{\delta n}} \longrightarrow \boxed{\frac{\delta F}{\delta u}}$

page 361

in the paragraph after (9.81): $\boxed{[v]} \longrightarrow \boxed{[\nu]}$

page 363

near the top of the page: $\boxed{(\delta u)y} \longrightarrow \boxed{(\delta u)_y}$

page 375

(9.162): $\boxed{\sum_i p_i d\dot{q} + \dot{q}_i dp_i - \frac{\partial L}{\partial \dot{q}_i} d\dot{q}_i - \frac{\partial L}{\partial q_i} dq_i - \frac{\partial L}{\partial t} dt} \longrightarrow \boxed{\sum_i \left(p_i d\dot{q}_i + \dot{q}_i dp_i - \frac{\partial L}{\partial \dot{q}_i} d\dot{q}_i - \frac{\partial L}{\partial q_i} dq_i \right) - \frac{\partial L}{\partial t} dt}$

page 376

the lower half of the page: $\boxed{\text{the } 20^{th}\text{) century}} \longrightarrow \boxed{\text{the } 20^{\text{th}} \text{ century)}}$